



FIBRE OPTIC TOOLS & TEST EQUIPMENT

EPOXY ADHESIVE

PRODUCT SPECIFICATIONS

Epoxy adhesive is used for the termination of optical fibre. RT156 is a versatile product that can be heat cured or allowed to cure at ambient temperature (25°C) for 24 hours ("overnight")

Epoxy Applicators are available for dispensing epoxy into connectors. Available in 2g and 4g Twin-Pack Sachets.



TECHNICAL SPECIFICATIONS

Cure Speed at 75°C	Acceptable
Mixed Viscosity	0.5-1.5 Pa.s (500-1500 cPs)
Work Life	2h at 23°C
Surface Tension	42-44mN/m
Curing Schedule	25°C for 24h 75°C for 20min 100°C for 5min

ORDERING INFORMATION

Product Code	Description
RT156-2G	Epoxy Adhesive - 2g Sachet
RT156-4G	Epoxy Adhesive - 4g Sachet