



Copper Structured Cabling UK Style Wall Outlet



Linxcom offers complete range of UK Style Wall Outlets available in single, double and quad ports.

All parts are made with high quality materials and comply with all international standards.

All products branded with Linxcom are applicable for our approved installer 25 years products warranty.

Features & Benefits

- Complete Outlet consisting of Faceplate, Back Box and Modules
- Available in Single, Double or Quad ports
- Meets the requirement proposed by TIA /EIA 568 B .2
- Available for Cat 5e, Cat 6 and Cat 6A
- Fixing screws and labelling supplied
- Applicable for Linxcom's approved installer 25 year product warranty

Applications

- POTS, T1&Tq fractional
- ASDN basic & primary rate
- 4/16 Mbps Token Ring (IEEE802.5)
- 10 BASE-T (IEEE802.3)
- 100 Mbps TP-PMD
- 10Gbps Ethernet
- 52/155 Mbps ATM (ATM Forum)
- 100 BASE-T4 (Fast Ethernet)
- 100 VG-Any LAN (IEEE802.12)
- 100 BASE-T (Fast Ethernet)
- 1 Gbps Ethernet (IEEE802.3)

Colouring

Pair 1	Pair 2	Pair 3	Pair 4
Blue, Blue/White	Orange, Orange/White	Green, Green/White	Brown, Brown/White

Performance

Insertion Life	750 cycles minimum
IDC Life	200 times (22-26 AWG solid wire) minimum
Contact Material	Phosphor Bronze, Gold Plating (0.5mm)
IDC Material	Phosphor Bronze stamp pin (0.35mm)
Housing Material	PC UL94V-0
Conformance	EIA/TIA 568A/B wiring standards, ISO/IEC 11801:2002, EIA/TIA 568B.2.1:2002, RoHS



Copper Structured Cabling UK Style Wall Outlet

Components

Quad Bevelled Faceplate (UKBFP86147)



Double Bevelled Faceplate (UKBFP8686)



Quad Flat Faceplate (UKFFP86147)



Double Flat Faceplate (UKFFP8686)



Quad Back Box (UKBBFP86147)



Double Back Box (UKBBFP8686)



Flat Module (UKFMFP5025)



Angled Module (UKAMFP5025)



Blanking Panel (UKBLANK5025)





Copper Structured Cabling UK Style Wall Outlet

Ordering Information

Part Number	Description	Dimensions
UKBFP86147	UK Style Quad Bevelled Faceplate	86*147*18mm
UKBFP8686	UK Style Double Bevelled Faceplate	86*86*18mm
UKFFP86147	UK Style Quad Flat Faceplate	86*147*10mm
UKFFP8686	UK Style Double Flat Faceplate	86*86*10mm
FRBBFP86147	Back Box for UK Style Quad Faceplate	86*147*37mm
FRBBFP8686	Back Box for UK Style Double Faceplate	86*86*37mm
UKAMFP5025	Angled Keystone Jack Module for UK Style Faceplate	50*25*28mm
UKFMFP5025	Flat Keystone Jack Module for UK Style Faceplate	50*25*23mm
UKBLANK5025	Blanking Panel for UK Style Faceplate	50*25*10mm

To use angled or flat modules for a complete socket you must purchase a keystone jack for each module. These are available in Category 5e, Category 6 and Category 6A, in 90 or 180 degree models.

For any queries, please contact the Linxcom team using the details below.